



U.S. Department of Transportation


National Highway Traffic Safety Administration

### Dear Crash Data Researchers/Users:


Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.







PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 49

604P CASE NO.

TYPE OF ACCIDENT Car/Pedestrian/Crossing road straight

## A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

VI was traveling west on an undivided residential concrete street. Pl was traveling south across the street after apparently visiting an ice cream vendor's truck which was stopped near the north edge of the street. As Pl attempted to run straight across the street, she ran into the right side of VI, striking the right front fender, hood, right side rearview mirror and other components. She was knocked to the pavement to the right of the vehicle, receiving injuries from the pavement also. Pl was transported to a nearby hospital where she treated and released. VI was driven.

	B. PEDESTRIAN PROFILE								
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	7	Female	Treat & Rel	External	Skin- Other	1	A. p', 11er		


Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severity</li> </ul>


	C. VEHICLE PROFILE  Most Severe Damage								
	Class		E	Based on Vehicle Inspection					
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description					
01	Intermediate	93/01ds/Cutlass Supreme	Right	Light damage to right side					

#### DO NOT SANITIZE THIS FORM




Scale: 1 centimeter =





to the



Administration

# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	_		nber-Stratum <u>6</u> <u>4</u> P
PEDESTRIAN ACCIDENT CO	LLISION DATA (	COLLECTION	SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	CONC.	north arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Conditio		grade measurements for all applicable roadways
a) vehicle skid marks b) pedestrian contacts with ground or object.	Coefficient of Fri	surement	scaled representations of the physical plant including:  a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	id	b) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) betwee final re	in impact and $- \frac{1}{2}$	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction	a) physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	frection	b) reconstructed accident dynamics
all road/roadway defineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)  b) all traffic controls (e.g., lights, signs)	Number of Trave	al Lanes	
Reference Point: WES	TOT	Reference Line:	
Item		Distance and Discotion	· •
		Distance and Direction from Reference Point	Distance and Direction from Reference Line
BLOOD SPILL			
BLOOD SPILL		from Reference Point	
BLOOD SPIN		from Reference Point	
BLOOD SPILL		from Reference Point	
BLOOD SPIN		from Reference Point	
BLOOD SPILL		from Reference Point	
BLOOD SPIN		from Reference Point	
		from Reference Point	
BLOOD SPIN		from Reference Point	
		from Reference Point	

Item	Distance and Direction	Distance and Direction
item	from Reference Point	from Reference Line
· · · · · · · · · · · · · · · · · · ·		
	***************************************	

Administration

National Highway Traffic Safety

## PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Numbe	1.	Primary	Sampling	Unit	Number
--------------------------------	----	---------	----------	------	--------

2. Case Number - Stratum

### **IDENTIFICATION**

Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

## **SPECIAL STUDIES - INDICATORS**

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use

7. \_\_\_\_SS16 Pedestrian Crash Data Study

8. \_\_\_\_SS17 Impact Fires

0

0

\_1\_

\_SS18 \_\_\_\_\_ 0

10. SS19

0

### NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

### PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

#### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>03</u>	15. 🔼	16. <u>7 2</u>	17. <u>0</u> 0	18. <u>0</u>			

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

## CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

## CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

## U.S. Department of Transportation **National Highway Traffic Safety** Administration

## PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

<ol> <li>Primary Sampling Unit Number</li> <li>Case Number - Stratum</li> <li>Pedestrian Number</li> <li>1</li> <li>Pedestrian Number</li> <li>D</li> <li>D</li> <li>D</li> <li>D</li> <li>D</li> <li>D</li> <li>D</li> <li>D</li> <li>D</li> </ol>	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
PEDESTRIAN'S CHARACTERISTICS	DEDECTRIANCE AND DANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS  11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex  (1) Male  (2) Female - not reported pregnant  (3) Female - pregnant-1st trimester (1st-3rd month)  (4) Female - pregnant-2nd trimester (4th-6th month)  (5) Female - pregnant-3rd trimester (7th-9th month)  (6) Female - pregnant-term unknown  (9) Unknown  6. Pedestrian's Overall Height  Code actual height to the nearest  centimeter.	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
(999) Unknown inches X 2.54 =centimeters  7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters  0	(9) Unknown  13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway
8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters  9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(09) Off road, moving along driveway (98) Other (specify): (99) Unknown  14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

DEDECTRIANIC AVOIDANCE ACTIONS	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact <u>0</u> 9
	(01) At sides
15. Pedestrian's First Avoidance Actions OO	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back 105 7
(01) Stopped	(03) Hands clasped behind back (CE) (04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
· · · ·	(00) Halius III pockets
· · · · · · · · · · · · · · · · · · ·	One as both some
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing L. Or
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(99) Chichowh	(33) CHRIOWII
	19. Pedestrian's Leg Orientation
	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To light	(08) Both feet off the ground
, ,	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	7
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown straight forward (06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
(0)	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
	(50) 5
	•

OFFICIAL RECORDS		INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	_0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	6	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: P.A.R.		Nonfatal (3) Hospitalization
<ul> <li>23. Police Reported Other Drug Presence For Pedestrian <ul> <li>(0) No other drug(s) present</li> <li>(1) Yes other drug(s) present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul> </li> </ul>		<ul> <li>(4) Transported and released</li> <li>(5) Treatment at scene - non-transported</li> <li>(6) Treatment later</li> <li>(8) Treatment - other (specify):</li> <li>(9) Unknown</li> </ul>
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

National Accident Sampling System-Crashworthiness Da	•
STOP - VARIABLES 30 THROUGH 37 A	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  36. 3rd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	this pedestrian's death  (00) Not fatal or no additional causes  (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown  37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	' DS INCLUDED WITH INITIAL SUBMISSION? YES [ ]
UPDATE CANDIDATE?	· ·

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

### PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

 $\mathbf{X}_{\mathbf{X}}$ 

### **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

	Source		Type of	AIS-90 Specific					Injury Source	Direct/		Туре	
	of Injury Data	Body Region	Anatomic Structure	Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Confidence Level	Indirect Injury	Striking Profile	Of Damage	Damage Depth
lst	5. <u>7</u>	6. 8	<u>, 9</u>	8. <u>02</u>	ے <u>ن</u> و۔	- 10. <u>/</u>	11.2	-12 <u>72</u> 6	2 <sub>13.</sub> <u>/</u>	14	15. 2	- <sub>16.</sub> <u>3</u>	173
2nd	18. 🗍	198	<u>9</u>	210 4	22. 02	<u></u>	24	25. 19	26	27. /	28	29. <u>Z</u>	30
3rd	7 31	32	7 9	34.	35. <u>0</u> 2	36	<b>√</b> 37	38. <u>77/</u>	<u>//</u>	40	41	42. 7	43.7_
4th	44.7	45. <u>J</u>	46.9	47 <u>0</u> 6	48. <u>02</u>	-49. <u>/</u>	<sub>50.</sub> <u>8</u>	51. <u>753</u>	52	53	54. <u>3</u>	55.2	-56.2
5th	57. 2	58. 2	59. 9_	60.06	61.02	-62. <u>/</u>	63	64. G U	7 <sub>65.</sub> <u>1</u>	66	67. <u>O</u>	<u>6</u> .83	<u>69.</u> _
6th	70. 7	71.2	72. <u>9</u>	73.02	74. <u>0 3</u>	75. <u>/</u>	76. <u>7</u>	77. <u>94</u>	7 <sub>78.</sub> /_	79. <u>/</u> _	800	81. 🔼	82. <u>0</u>
.7th	83	84:	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98,	99	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115	116	117	118,	119	120	121
10th	122	123	124	125.	126	127	128	129:	_ 130	131	132	133	134

Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th		_			<u>-</u>	_		_ _			——————————————————————————————————————	_
13th 14th						_		_	*			
15th 16th 17th						- -		- - • -			<del></del>	_
18th 19th 20th												
21st: 22nd	-					_ _		<u>-</u> -			_	_
23rd 24th					_					<del>-</del>		

a las attaches and the second second

### OFFICIAL INJURY DATA - SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

7,290602.1,7 7,290202.1,7 laceration/abrasion @forehead 7,290602.1,8 laceration upper lip 7,790602.1,2 7,890202.1,2 abrasion D knee

#### Certain Probable **OFFICIAL** (0) Injury not from vehicle contact No damage/contact Scratch (Scuff, Cloth Transfer,Smear) (1) Autopsy records with or without hospital/ Possible medical records Unknown (3) (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5) Cracked, fractured, shattered summary) Direct contact injury (6) Separated from vehicle Emergency room records only (including Indirect contact injury Noncontact injury (7) Noncontact injury associated X-rays or other lab reports) (8) Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report Flat-Wide (≥ 15 centimeters) Surface only damage Rounded (contoured) (6) E.M.S. personnel (3) (4) Rounded edge (3) Crush depth >0 to 2 centimeters (7) Interviewee (4) (5) Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters Sharp edge Other (specify): (8) Other source (specify): Other specify: (8) (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Spine (02) Cervical (04) Thoracic Specific Anatomic Structure Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Minor injury (06) Lumbar Moderate injury Serious injury Face (2)(3) Neck Thorax (06) Skin - Laceration (08) Skin - Avulsion Vessels, Nerves, Organs, Bones, Joints Severe injury (5) are assigned consecutive two digit numbers beginning with 02 (5) (6) Abdomen Critical injury (10) Amputation (6) Spine Maximum (untreatable) **Upper Extremity** (20) Burn Injured, unknown severity Lower Extremity Unspecified (30) Crush (40) Degloving (8) Level of Injury **Aspect** (50) Injury - NFS injuries Specific assigned are Type of Anatomic Structure consecutive two-digit beginning with 02. (90) Trauma, other than mechanical Right (2) Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (1) Whole Area Bilateral (3) Central To the extent possible, within the Nerves organizational framework of the AIS, 00 (5) Anterior is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. Organs (includes muscles/ (10) Concussion (6) **Posterior** (4)ligaments) (7) Superior Skeletal (includes joints) Head - LOC (5) Inferior (6) (9) Unknown Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 751 Right side door handle 752 Right side mirror fixed housing 706 Headlight 707 Retractable headlight door (Open/Closed) Undercarriage components 708 Turn signal/parking lights 753) Right side folding mirror 800 Front crossmember 754 Right side glazing forward of B pillar 718 Other front or add on object 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 808 Floor pan 722 A1 pillar 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 820 Air scoop, deflector 730 Left side door surface 731 Left side door handle Top Components 770 Hood surface 821 Cellular or CB radio antenna 822 Emergency lights or bar 732 Left side mirror fixed housing 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_ 776 Front header (specify): 777 Roof surface 739 Unknown left side component Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment

781 Rear trunk lid

788 Other top component (specify): \_\_

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

**SOURCE OF INJURY DATA** 

741 Front antenna

742 A1 pillar

743 A2 pillar

## OFFICIAL INJURY DATA - SKELETAL INJURIES

### Restrained?

\_\_\_ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

## Blood Alcohol Level

(mg/dl)

BAL =

#### Glasgow Coma Scale Score

GCSS = \_\_\_

#### Units of Blood Given

Units = \_\_\_\_


#### **Arterial Blood Gases**


Ph = \_.\_.

PO<sub>2</sub> = \_\_\_\_

PCO<sub>2</sub>


HCO3 \_\_\_\_






## OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





ational Highway Traffic Safety dministration	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
Primary Sampling Unit Num	ber <u>49</u>	OFFICIAL RECORDS
2. Case Number - Stratum	<u>604</u> P	9. Police Reported Travel Speed 9. 9
3. Vehicle Number	0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTI	FICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of (99) Unknown	the model year	mph X 1.6093 = kmph  10. Speed Limit
5. Vehicle Make (specify):  Oldsmobile  Applicable codes are found		Code posted or statutory speed limit in kmph (999) Unknown  3 o mph X 1.6093 = 48 kmph
NASS PCDS Data Collection Editing Manual. (99) Unknown		11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
6. Vehicle Model (specify):  Cutlass Supren Applicable codes are found NASS PCDS Data Collection Editing Manual. (999) Unknown	in your	(9) Unknown  12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
<ol> <li>Body Type         Note: Applicable codes may the back of this page.     </li> </ol>		(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Numb  1 G 3 W H 5 4 T 7 P  1 2 3 4 5 6 7 8 9 10  Left justify; Slash zeros and No VIN—Code all zeros Unknown—Code all nines	11 12 16 14 15 16 17	Source: V.W. (Z.  13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

## **CODES FOR BODY TYPE**

#### CDS APPLICABLE VEHICLES

#### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

## Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

#### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

## Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):\_\_\_\_\_
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight  Code weight to nearest	18. Impact Speed  O 2 2  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown  19. Accuracy Range of Impact Speed Estimate
16. Vehicle Cargo Weight O, 0 Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown,   lbs X .4536 =, kgs	(0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates  PRECRASH DATA
OTHER DATA  17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20  ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

		T		
23. Cri	tical Precrash Event &O		(83	Pedalcyclist or other nonmotorist in roadway
Th	is Vehicle Loss of Control Due To:		•	(specify):
(01	) Blow out or flat tire		184	) Pedalcyclist or other nonmotorist approaching
(02	2) Stalled engine		, .	roadway (specify):
	B) Disabling vehicle failure (e.g., wheel fell off)	ŀ	185	) Pedalcyclist or other nonmotorist—unknown
,,,,	(specify):		(05	
10/	Non-disabling vehicle problem (e.g., hood flew		04	location (specify):
(0-			-	ect or Animal
105	up) (specify):	l		) Animal in roadway
(05	i) Poor road conditions (puddle, pot hole, ice, etc.)	ĺ	(88	Animal approaching roadway
	(specify):		(89	Animal—unknown location
	6) Traveling too fast for conditions		(90	) Object in roadway
(08	Other cause of control loss (specify):		(91	Object approaching roadway
		l		Object—unknown location
(09	Unknown cause of control loss			Other critical precrash event (specify):
	is Vehicle Traveling	l	,00	other critical precrash event (specify).
	)) Over the lane line on left side of travel lane	l	100	Unknown
		İ	(33	Onknown
	Over the lane line on right side of travel lane	١.,		<b>6</b> 1
	2) Off the edge of the road on the left side	24		empted Avoidance Maneuver
	3) Off the edge of the road on the right side	1		No driver present
	l) End departure	l	(01	No avoidance actions
(15	i) Turning left at intersection	ŀ	(02	) Braking (no lockup)
(16	3) Turning right at intersection			Braking (lockup)
(17	') Crossing over (passing through) intersection			) Braking (lockup unknown)
	) Unknown travel direction			Releasing brakes
	ner Motor Vehicle In Lane			Steering left
	) Stopped	1		•
				Steering right
(5)	) Traveling in same direction with lower speed			Braking and steering left
	(i.e., lower steady speed or decelerating)		(09	Braking and steering right
	) Traveling in same direction with higher speed		(10	Accelerating
(53	) Traveling in opposite direction		(11)	Accelerating and steering left
(54	) In crossover			Accelerating and steering right
(55	) Backing	İ		Other action (specify):
	Unknown travel direction of other motor vehicle			Unknown
,	in lane		(00)	- CHRIOWH
Oth	ner Motor Vehicle Encroaching Into Lane	25	Proc	crash Stability After Avoidance Maneuver
		23		No driver present
100	) From adjacent lane (same direction) - over left		(1)	No avoidance maneuver
	lane line			
(61	) From adjacent lane (same direction) - over right	•	(2)	
	lane line		(3)	Skidding longitudinally—rotation less than 30
(62	) From opposite direction—over left lane line		141	degrees
(63	) From opposite direction—over right lane line		(4)	Skidding laterally—clockwise rotation
(64	) From parking lane		(5)	Skidding laterally—counterclockwise rotation
	) From crossing street, turning into same direction		(8)	Other vehicle loss-of-control (specify):
	From crossing street, across path			
	From crossing street, turning into opposite		(9)	Precrash stability unknown
(0)	direction		_	1
100		26.		crash Directional Consequences of
	) From crossing street, intended path not known		Avo	idance Maneuver (Corrective Action)
	) From driveway, turning into same direction		(O)	No driver present
(71	) From driveway, across path		(1)	No avoidance maneuver
(72	) From driveway, turning into opposite direction		(2)	Vehicle stayed in travel lane where avoidance
(73	) From driveway, intended path not known			maneuver was initiated
(74	) From entrance to limited access highway		(3)	Vehicle stayed on roadway but left travel lane
	Encroachment by other vehicle—details			where avoidance maneuver was initiated
,,,	unknown		(4)	Vehicle stayed on roadway, not known if left
Pas	lestrian or Pedalcyclist, or Other Nonmotorist			travel lane where avoidance maneuver was
				initiated
	) Pedestrian in roadway		(5)	
	) Pedestrian approaching roadway		(6)	Avoidance maneuver initiated off roadway
(82	) Pedestrian—unknown location		(9)	Directional consequences unknown

		ENVIRO	NME	NTA	LE	DATA
7	Dala	tion to lunction	$\sim$	20	n	duran Conform Condition
27.		tion to Junction Non-junction	<u>U</u>	1	коа (1)	dway Surface Condition
	(1)	Interchange area			(2)	Wet
	,					Snow and slush
		-Interchange			(4)	Ice
	(2)	Intersection				Sand, dirt or oil
		Intersection-related Drive, alley access related				Other (specify):
1		Other non-interchange (specify):			(3)	Clikilowii
	(0)	Ction not intoronaligo (opcony).				
		Unknown type of non-interchange				fic Control Device
	(9)	Unknown if interchange			(0)	
					(1)	Trafficway traffic control signal (not RR
28	Traf	ficway Flow	- (			crossing)
20.		Not physically divided (two way traffic)	<u>_</u>		Rea	ulatory or School Zone Sign (Not RR Crossing)
	(2)				(2)	Stop sign
		positive barrier				Yield sign
	(3)	Divided trafficway - median strip with				School zone sign
	(4)	positive barrier One way trafficway			(5)	Other sign (specify):
		Unknown			(6)	Unknown sign
	(0)	· · · · · · · · · · · · · · · · · · ·				Warning sign (not RR crossing)
			7		(8)	Miscellaneous/other controls including RR
29.		nber of Travel Lanes	_	ļ		controls (specify):
	(1)				<b>'</b>	I la la sana
	(2) (3)	Two Three			(9)	Unknown
1		Four				· · · · · · · · · · · · · · · · · · ·
		Five		35.	Traf	ffic Control Device Functioning
	(6)	Six			(O)	No traffic control
1	(7)	Seven or more				Not Functioning
	(9)	Unknown				Functioning Unknown
					(3)	CHRIOWII
30.	Roa	dway Alignment	- 1			<b>i</b>
	(1)	Straight				nt Conditions
		Curve right				Daylight
		Curve left		1	(2)	Dark Dark but lighted
	(3)	Unknown		4	(3) (4)	Dark, but lighted Dawn
				1	(5)	Dusk
31.		dway Profile	$\bot$		(9)	
		Level	•			
	(2) (3)	Uphill Grade (>2%) Downhill Grade (>2%)		27	Δtm	nospheric Conditions
1	(4)			37.	(1)	No adverse atmospheric related driving
İ	(5)	Sag			,	conditions
ļ	(9)	Unknown			(2)	Rain
1					(3)	Sleet
22	D	duray Surface Type	1		(4) (5)	Snow Fog
32.		dway Surface Type Concrete	<del>_</del>			Rain and fog
		Bituminous (asphalt)				Sleet and fog
	(3)	Brick or Block				Other (e.g., smog, smoke, blowing sand or
1	(4)	Slag, gravel or stone			<b>.</b>	dust, etc.) (specify):
	(5)	Dirt Other (specify):			(9)	Unknown
1	(8)	Other (specify):				
	(9)	Unknown				
	, -,	• • • • • • • • • • • • • • • • • • • •		1		

A Marie Transition

1	
-	U.S. Department of Transportation
1	National Highway Traffic Safety
	Administration


## PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. to

			TEDESTRIAN CRASH DATA STOD
1. Primary Sampling Unit Number	49	3. Vehicle Number	0 1
2. Case Number - Stratum	<u>604 p</u>		

VEHICLE IDENTIFICATION							
VIN 1 G 3 W H 5 4 T 7 P D Model Year 93							
Vehicle Make (specify): OLDS No BICE	Vehicle Model (specify): Curlow Supranes						
PEDESTRIAN FRONT CO	NTACT WORK SHEET						
PEV06 Hood Material							
PEV08 Hood Length	cm						
PEV09 Hood Width-Forward Opening	cm						
PEV10 Hood Width-Midway	cm						
PEV11 Hood Width-Rear Opening	cm						
PEV14 Front Bumper Cover Material							
PEV15 Front Bumper Reinforcement Material							
VERTICAL MEA	CUIDEMENTO						
VERTICAL MEA	SUREMENTS						
PEV16 Front Bumper-Bottom Height	cm						
PEV17 Front Bumper-Top Height	cm						
PEV18 Forward Hood Opening	cm						
PEV19 Front Bumper Lead	cm						
WRAP DIST	FANCES						
	ANCES						
PEV20 Ground to Forward Hood Opening	cm						
PEV21 Ground to Front/Top Transition Point	cm						
PEV22 Ground to Rear Hood Opening	cm						
PEV23 Ground to Base of Windshield	cm						
PEV24 Ground to Top of Windshield	cm						
PEV25 Ground to Head Contact	cm						

## **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

cm

\*22

	PEDESTRIAN SIDE CONTACT WORK	( SHEET	, . <b></b> .
		Company of the compan	
	PEV06 Hood Material	STEEL	
	PEV08 Hood Length	116	cm
	PEV09 Hood Width-Forward Opening	144	cm
	PEV10 Hood Width-Midway	147	cm
	PEV11 Hood Width-Rear Opening	152	cm
	VERTICAL MEASUREMENTS		
	PEV26 Ground Clearance	025	cm
	PEV27 Side Bumper-Bottom Height	037	cm
	PEV28 Side Bumper-Top Height	054	cm
	PEV29 Centerline of Wheel	<u> </u>	cm
	PEV30 Top of Tire	066	cm
	PEV31 Top of Wheel Well Opening	071	cm
	PEV32 Bottom of A-Pillar at Windshield	091	cm
	PEV33 Top of A-Pillar at Windshield	131	cm
	PEV34 Top of Side View Mirror	- 103	cm
	LATERAL MEASUREMENTS		
	PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield	080	cm
	PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	062	cm
	PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion	097	cm
	WRAP DISTANCES		
	PEV38 Ground to Side/Top Transition	087	cm
	PEV39 Ground to Hood Edge	093	cm
	PEV40 Ground to Centerline of Hood (ORIGIN)	176	cm
	PEV41 Ground to Head Contact (Possible Inot sure)	√ <u>101</u>	cm /
		~ Oller	
		<b>K</b> ( /	and the second s
- 1			

## **ORIGINAL SPECIFICATIONS**

	Wheelbase	107.5	inches	x 2.54	= <u>273</u> cm
	Overall Length	1937	inches	x 2.54	= 492 cm
	Maximum Width	_71.0	inches	x 2.54	= <u>180</u> cm
	Curb Weight	3.354	pounds	x .4536	= <u>1.5 2 1</u> kg
	Average Track 54.5				= 151 + 49  cm
	Front Overhang 58,0		inches	x 2.54	= 147 <u>1</u> 1 2 cm
	Rear Overhang			x 2.54	
FRONT	Undeformed End Width	153	inches	x 2.54	= <u>  3 8</u> cm
	Engine Size: cyl./displ.	<del></del>	СС	x .001	= <u> </u>
			CID	x .0164	= V6/ 3.1 L
				<del></del>	

FRONT
700 Front bumper
701 Front lower valance/spoiler
702 Front grille
703 Hood edge and/or trim
704 Hood ornament (fixed)
705 Hood ornament (spring loaded)
706 Headlight
707 Retractable headlight door (Open/Closed)
708 Turn signal/parking lights
718 Other front or add on object
(specify):
719 Unknown front object
Left Side Components
720 Front fender side surface
721 Front antenna
722 A1 pillar
723 A2 pillar
724 B pillar
725 C pillar
726 D pillar
728 Other pillar
(specify):
729 Left side roof rail
730 Left side door surface
731 Left side door handle
732 Left side mirror fixed housing
733 Left side folding mirror
734 Left side glazing forward of B pillar
735 Left side glazing rearward of B pillar
736 Left side back fender or quarter panel
737 Rear antenna
738 Other left side object
(specify):
739 Unknown left side component

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

INJURY SOURCE						
744 B pillar						
745 C pillar						
746 D pillar						
748 Other pillar (specify):						
749 Right side roof rail						
750 Right side door surface						
751 Right side door handle						
752 Right side mirror fixed housing						
753 Right side folding mirror						
754 Right side glazing forward of B pillar						
755 Right side glazing rearward of B pillar						
756 Rear antenna						
757 Rear fender or quarter panel						
758 Other right side object						
(specify):						
759 Unknown right side component						
Back Components						
760 Rear (back) bumper						
761 Tailgate						
762 Hatchback, vertical surface						
768 Other back component						
(specify):						
769 Unknown back component						
Top Components						
770 Hood surface						
771 Hood surface reinforced by under hood						
component						
772 Front fender top surface						
773 Cowl area						
774 Wiper blade & mountings						
775 Windshield glazing						
776 Front header						
777 Roof surface						
778 Backlight glazing						
779 Rear header						
780 Hatchback						
781 Rear trunk lid						
788 Other top component (specify):	_					

789 Unknown top component

Wheels	: / tires
790	Left front wheel / tire
791	Right front wheel / tire
792	Left rear wheel / tire
793	Right rear wheel /tire
798	Other wheel / tire (specify):
799	Unknown wheel / tire
	arriage components
	Front cross member
	Steering assembly/Front suspension
	Oil pan
	Exhaust system pipe
	Transmission
	Drive shaft
	Catalytic converter
	Muffler
	Floor pan
	Fuel tank
	Rear suspension
818	Other undercarriage component
819	(specify):
Access	sories
	Air scoop, deflector
	Cellular or CB radio antenna
822	Emergency lights or bar
	Fog lights
	Luggage, ski, or bike rack
	Cargo (specify):
	Spare tire
	Spotlight
	Other accessory (specify):
Other (	Object or Vehicle in Environment

947 Ground

948 Other object (specify):\_

997 Noncontact injury source


999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

### **VEHICLE DAMAGE SKETCH**

Note: Due to vehicle Locked in parking lot to owner not around, unable to open hood to shoot hood contact of PED.



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 174 cm

170 -32 Page 5

					TRIAN CONTA			
			PEDEST	RIAN CONT	ACT WORKSH	EET		
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle)</i>	SEQUEN
Д	RF FONDER	+41	700ERT +88 W	2cm	Pervic	DOUT SCRATCH	① 2 3 9	1
ß	WHEE	± 10	SZVER HISBUR	0	Lewen	SWIRES	1 ② 3 8	
$\mathcal{L}$	TIRE	= 26	+110 TO+164	0	LECT	Swifes	1 @ 3 9	A A
<u> </u>	Hoop	-3	+69	۷١	HEAD?	DENT	1 2 🗇 🗈	
5	WELLTRIM	-36	59 vers	0	UNK	CRAYON? TRANSPER	<b>1</b>	
F	A-Pillam	-69	98 ver 182 var 95 var	0	HAMB	HONHO PRINT	1 (2) 1 8	
G	Housing	-90	+107 were	0	UNK.	SWIPES	1 ② 3 9	
H	Suc	-90	TICITIONS	0	Foot	Scurr	17711	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 <b>2 3 £</b> 1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 2	
							1 2 3 9	
							1 2 1 9	
							1 2 3 9	
							1 2 3 9	

	9	I	ĺ	1	١	Ì	I	l	S		ĺ	j	ŀ		į	)	ŀ	ĺ	1		į	\$ Ì	U	I	i	Į	Į	ì	ł	١		ĺ	)	C	J		Ĺ	į	ì	Ì	0	ì	ĺ		
										×																					Š	i	8	8											

CONTACT	COMPONENT Contacted Code	LONGITUDINAL Location (X)	LATERAL LOCATION (V)	CRUSH IN Centimeters	EK UP CUMPACES	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF
1 A	74.0	+41	+88	O -2	Knee	dent/smidge	(Circle) 2 3 9
2	2740	0	+80-90	***************************************	L. Hip	dent/smilye	<b>D</b> 2 7 9
3 D	771	-3	+69	0-1	Lelbow	dent	O 2 3 9
0.5	753	-90	95-107	-	Lip	5 44	0
5						·	1 2 3 9
8							1 2 3 9
7							1 2 3 9
8							1 2 3 3
9							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 2 9
19							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25					·		1 2 3 9

VEHICLE DIMENSIONS	11 Hood Width Book Opening
	11. Hood Width Rear Opening
4. Original Wheelbase	nearest centimeter
Code to the nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
	instance V 2.54 = 1,450 constituents
107.5 inches X 2.54 = $27.3$ centimeters	inches X 2.54 = <u>/ 5 2</u> centimeters
5. Original Average Track Width 1990	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
_	pedestrian impact
6. Hood Material <u>3</u>	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass (3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	<ul><li>(2) Contacted by pedestrian - damaged</li><li>(3) Unknown if contacted by pedestrian - not</li></ul>
(9) Unknown	damaged
7. Upped Original	(4) Unknown if contacted by pedestrian -
7. Hood Original/_ Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	FRONT CONTACT DAMAGE
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	
Code to the nearest centimeter	14. Front Bumper Cover Material
Code to the nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material
Code to the nearest centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
Code to the nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =/ centimeter	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =/ centimeter  9. Hood Width Forward Opening/ 4 4	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknowninches X 2.54 =/ centimeter  9. Hood Width Forward Opening/ 4/ Code to the	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknowninches X 2.54 =/ centimeter  9. Hood Width Forward Opening/ 4/ Code to the nearest centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknowninches X 2.54 =/ centimeter  9. Hood Width Forward Opening/ 4/ Code to the	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown  inches X 2.54 =/ centimeter  9. Hood Width Forward Opening / 4	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the  nearest centimeter (000) No front contact (150) 150 centimeters or more
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the  nearest centimeter (000) No front contact
Code to the nearest centimeter  (180) 180 centimeters or more (999) Unknown	14. Front Bumper Cover Material  (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the  nearest centimeter (000) No front contact (150) 150 centimeters or more

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wiren Distance Magaziramante	SIDE CONTACT DAMAGE
Front Wrep Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	Side Vertical Measurements  26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Side Vertical Measurements  26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29.	Centerline of Wheel 32	Side Lateral Measurements
	Code to the	
	nearest centimeter	
	(000) No side contact	35. Centerline to A-Pillar
	(150) 150 centimeters or more	at Bottom of Windshield
	(999) Unknown	(000) No side contact
		Code to the
	inches X 2.54 = <u>03</u> 2 eentimeters	nearest centimeter
	monos x 2.04 =	(250) 250 centimeters or more
		(999) Unknown
30	Top of Tire	
<b>00</b> .	Code to the	inches X 2.54 = <u>080</u> centimeters
	nearest centimeter	-
	(000) No side contact	
	(200) 200 centimeters or more	36. Centerline to A-Pillar
	(999) Unknown	at Top of Windshield
	(666) Shahowh	Code to the
	inches X 2.54 =	nearest centimeter
	inches x 2.34 = tendinaters	(000) No side contact
		(250) 250 centimeters or more
31	Top of Wheel Well Opening	(999) Unknown
01.	Code to the	2.4.2
	nearest centimeter	inches X 2.54 = \( \sum_{Q} \) centimeter
	(000) No side contact	
	(250) 250 centimeters or more	
	(999) Unknown	37. Centerline to Maximum Side
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	View Mirror Protrusion
	inches X 2.54 = centimeters	Code to the
		nearest centimeter
32.	Bottom of A-Pillar at Windshield $\bigcirc$ 9	(000) No side contact
	Code to the	(300) 300 centimeters or more
	nearest centimeter	(999) Unknown
	(000) No side contact	. inches $\times$ 2.54 = $\mathcal{O}$ $\mathcal{G}$ centimeter
	(250) 250 centimeters or more	inches X 2.54 = <u>U 7 1</u> centimeter
	(999) Unknown	
		Side Wrap Distance Measurements
	inches X 2.54 = <u>09 1</u> centimeters	
~~	Top of A-Pillar at Windshield	38. Ground to Side/Top Transition <u>© § 7</u>
33.		Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(400) 400 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	
	inches X 2.54 = 1 3 1 centimeters	inches X 2.54 = <u>6</u> <u>8</u> <u>7</u> centimeters
	inches x 2.54 = 1 3 / centimeters	
		39. Ground to Hood Edge <u>93</u>
34	Top of Side View Mirror 1 0 3	39. Ground to Hood Edge <u>Q Q S</u> Code to the
•	Code to the	
	nearest centimeter	nearest centimeter
	(000) No side contact	(000) No side contact
	(300) 300 centimeters or more	(500) 500 centimeters or more
	(999) Unknown	(999) Unknown
		inches X 2.54 = centimeters
	inches X 2.54 = <u>l D 3</u> centimeters	

40.	Ground to Centerline of Hood	170		
	Code to the			
	nearest centimeter (000) No side contact			
	(700) 700 centimeters or more			
	(999) Unknown			
	13	^		
	inches X 2.54 = 17	centimeters		
41.	Ground to Head Contact	101		
	Code to the			
	nearest centimeter	Possibly 101		
	(000) No side contact (800) 800 centimeters or more	•		
	(998) No head contact	Lie		
	(999) Unknown			
	inahaa V 2 EA			
	inches X 2.54 =	centimeters		
			· .	
	·			
				,
				,
				~
1				



49604P00010012 **969.**0010000000000103R72000 9.00 000000000721143206009303213011001109040709600342009702 49604P00010021 1010000000006 9.00 00000000078902021272011233 49604P00010131 49604P00010231 9.00 00000000078904021179111222 49604P00010331 9.00 00000000077906021277111233 49604P00010431 9.00 00000000072906021875311322 9.00 00000000072906021794711000 49604P00010531 9.00 00000000072902021794711000 49604P00010631 9.00 0000000009321020041G3WH54T7PD 99904809600152000002 49604P01000041 22110180011101211110011

PSU49 CASE 604P CURRENT VERSION: 9.00

## ERROR SUMMARY SCREEN PEDESTRIAN STUDY



FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	O	Y
Pedestrian Assessment	Ö	Ö	Ö	Y
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehic	e 0	0	0	Υ
Pedestrian Exterior Vehic	ile O	<b>O</b> -	О	Y
Total Inter Errors		0	0	
Total Case Errors	o	0	0	